## CLAIM LISTNG

- (Original) A biocompatible polymer composition, suitable for in vivo vessel repair, comprising a matrix pre-polymer, a filler and a curing agent, wherein said composition has a viscosity of 2 000 to 12 000 cSt at 25 °C and wherein said biocompatible polymer composition is curable in the presence of a curing catalyst at 37 °C to form a cured material with an elongation until rupture of at least 5 % and an elastic modulus of at least 1 MPa.
- (Original) Composition according to claim 1, wherein the viscosity of the biocompatible polymer composition is in the range of 3 000 to 10 000 cSt, preferably of 4 000 to 8 000 cSt.
- (Previously Presented) Composition according to claim 1, wherein said biocompatible
  polymer composition is curable in the presence of a curing catalyst at 37° C to form a cured
  material with an elongation until rupture of at least 10 %, preferably at least 25 %.
- 4. (Cancelled)
- (Previously Presented) Composition according to claim 1, wherein the filler is a hydrophobic filler.
- (Cancelled)
- (Previously Presented) Composition according to claim 1, wherein the biocompatible polymer composition comprises a curing-inhibitor.

## Claims 8-15 (Cancelled)

- (Previously Presented) Kit of parts suitable for use in an in vivo vessel repair, comprising a biocompatible polymer composition according to claim 1, and a curing-catalyst composition.
- 17. (Previously Presented) Kit according to claim 1, wherein the curing catalyst composition comprises at least one component selected from the group consisting of matrix pre-polymers, fillers and contrast agents.

2

USSN 10/751,002

- 18. (Previously Presented) Kit according to claim 1, wherein the viscosity of the curing catalyst composition is at most 1 500 cSt higher or lower than the viscosity of the biocompatible polymer composition.
- 19. (Previously Presented) Kit according to claim 1, wherein the biocompatible polymer composition mixed with the curing catalyst composition, has a curing time of 5 min or less, preferably of less than 3 min.
- (Previously Presented) Method for treating an aneurysm in a blood vessel comprising the steps of:

providing a composition according to claim 1;

covering the inner wall of the blood vessel with an essentially cylindrical layer of the composition; and

curing the composition.

- 21. (Cancelled)
- 22. (Previously Presented) Method for repairing an aneurysm in an artery comprising the steps of:

providing a composition according to claim 1; and forming a stent comprising the composition in situ inside the artery.

- (Previously Presented) Cured material, obtainable by curing a composition according to claim 1.
- (Previously Presented) Method according to claim 20, wherein the aneurysm is an aortic aneurysm.

3

(Cancelled)

USSN 10/751,002